



Liberty® Radiant Gas Inserts

LRI4E & LRI6E

The Liberty Radiant Series is the latest addition to Regency's 35 year tradition of building beautifully designed, reliable, high efficiency direct vent heaters backed by the industry's best warranty.

Designer Options

Regency designers have created tasteful faceplates and accents for optimum customization. Because Regency's name is synonymous with quality and style, every Liberty® includes a heat circulating blower and Proflame remote control.

Radiant Heat + Convective Heat + Circulating Blower

This high efficiency heater combines intense radiant heat to instantly warm the area in front of your fireplace, adds natural convection and pushes all that heat to the far corners of your room with a standard heat circulating blower.

No power, no problem!

This designer insert will operate safely and reliably, even during power outages.



Low Profile Faceplates



IN 2 COLORS

Black

Rustic Brown Brick Panels



Sunset Bronze

Red Brick Panels



Vignette Faceplates

IN 4 ACCENT COLORS

Black (4-Sided Faceplate)

Rustic Brown Brick Panels





LRI6E Direct Vent Gas Insert shown with Vignette faceplate in Tuscan Sunset and Rustic Brown Brick panels.



Black Chrome

Volcanic Black Brick Panels



Platinum

Black Enamel Panels



Tuscan Sunset

Red Brick Panels



Standard Features


- Natural gas
- Safety screen
- High definition log set
- Ceramic burner with glowing ember bed
- Electronic ignition with SureFire™ switch
- Proflame GTMF remote control
- Variable speed blower for max heat distribution
- 6-tube heat exchanger for max efficiencies
- 30° angled flue for versatile installation
- Direct vent

Optional Features

- Faceplates available in Low Profile or Vignette design
- Faceplate spacer for shallow fireplace installations
- Regular or oversized backing plates
- Interior panels in Reflective Black Enamel, Old Town Red, Rustic Brown or Volcanic Black
- Regency flex venting
- Propane conversion kit

Specifications (NG)	LRI4E	LRI6E
Input (BTU)	31,000	38,000
Turn down to (BTU)	22,000	25,000
EnerGuide Rating*	71.90%	73.72%
Efficiency (steady state)	84%	84%
Min. Fireplace Opening	LRI4E	LRI6E
Width (front)	30"	34"
Width (rear)	22"	25"
Height	20"	24"
Depth**	15-3/4"	16-3/4"

* For Canada only
** May require spacer



Faceplates*	LRI4E		LRI6E	
	Width	Height	Width	Height
Low Profile	39-15/16"	25-13/16"	45-7/16"	30-3/16"
Vignette	41-9/16"	26-1/16"	47-3/18"	30-9/16"
Vignette (4-sided)	41-9/16"	29-1/4"	47-3/8"	34-1/8"

* See manual for more installation options

Your Regency Dealer



www.regency-fire.com

© 2014 FPI Fireplace Products International Ltd. Regency, Liberty are registered or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved. (09/14) Part no. 944-424